

- No. 1 (pp 1–98) published August 1996  
 No. 2 (pp 99–202) published September 1996  
 No. 3 (pp 203–318) published October 1996  
 No. 4 (pp 319–450) published November 1996  
 No. 5–6 (pp 451–678) published December 1996

- Aho S, Arffman A, Korhola M: *Saccharomyces cerevisiae* mutants selected for increased production of *Trichoderma reesei* cellulases 36
- Albrecht A, Rau U, Wagner F: Initial steps of sophorose lipid biosynthesis by *Candida bombicola* ATCC 22214 grown on glucose 67
- Ampe F, Léonard D, Lindley ND: Growth performance and pathway flux determine substrate preference of *Alcaligenes eutrophus* during growth on acetate plus aromatic compound mixtures 562
- Andersson BE, Henrysson T: Accumulation and degradation of dead-end metabolites during treatment of soil contaminated with polycyclic aromatic hydrocarbons with five strains of white-rot fungi 647
- Armenante PM, Colella LS, Kafkewitz D, Larkin MJ: Effect of a biofilm on the adsorption of 4-chlorophenol on activated carbon 667
- Bernet N, Habouzit F, Moletta R: Use of an industrial effluent as a carbon source for denitrification of a high-strength wastewater 92
- Blanco MA, Negro C, Gaspar I, Tijero J: Slime problems in the paper and board industry 203
- Brink JM van den, Hondel CAMJJ van den, Gorcom RFM van: Optimization of the benzoate-inducible benzoate *p*-hydroxylase cytochrome *P450* enzyme system in *Aspergillus niger* 360
- Cesário MT, Turtoi M, Sewalt SFM, Beertink HH, Tramper J: Enhancement of the gas-to-water ethene transfer coefficient by a dispersed water-immiscible solvent: effect of the cells 497
- Céspedes R, Maturana A, Bumann U, Bronfman M, González B: Microbial removal of chlorinated phenols during aerobic treatment of effluents from radiata pine kraft pulps bleached with chlorine-based chemicals, with or without hemicellulases 631
- Cordero Otero R, Gaillardin C: Efficient selection of hygromycin-B-resistant *Yarrowia lipolytica* transformants 143
- Corpe WA, Jensen TE: The diversity of bacteria, eukaryotic cells and viruses in an oligotrophic lake 622
- Cromwick A-M, Foglia T, Lenz RW: The microbial production of poly(hydroxyalkanoates) from tallow 464
- Crous JM, Pretorius IS, Zyl WH van: Cloning and expression of the  $\alpha$ -L-arabinofuranosidase gene (*ABF2*) of *Aspergillus niger* in *Saccharomyces cerevisiae* (Short contribution) 256
- da Silva GA: The occurrence of killer, sensitive, and neutral yeasts in Brazilian Riesling Italic grape must and the effect of neutral strains on killing behaviour 112
- Davidova IA, Stams AJM: Sulfate reduction with methanol by a thermophilic consortium obtained from a methanogenic reactor 297
- Davies ET, Stephens GM: Efficient mediator-independent hydrogenation of carbon-carbon double bonds, using the obligate anaerobe, *Acetobacterium woodii*, with fructose as an electron donor (Short contribution) 615
- de Beer D, O'Flaherty V, Thaveesri J, Lens P, Verstraete W: Distribution of extracellular polysaccharides and flotation of anaerobic sludge (Short contribution) 197
- Dean-Ross D, Cerniglia CE: Degradation of pyrene by *Mycobacterium flavescens* 307
- Deschênes L, Lafrance P, Villeneuve J-P, Samson R: Adding sodium dodecyl sulfate and *Pseudomonas aeruginosa* UG2 biosurfactants inhibits polycyclic aromatic hydrocarbon biodegradation in a weathered creosote-contaminated soil 638
- Dijkerman R, Op den Camp HJM, van der Drift C: Cultivation of anaerobic fungi in a 10-l fermenter system for the production of (hemi-)cellulolytic enzymes 85
- Doong R-A, Chen T-F, Chang W-H: Effects of electron donor and microbial concentration on the enhanced dechlorination of carbon tetrachloride by anaerobic consortia (Short contribution) 183
- Doßmann MU, Vogel RF, Hammes WP: Mathematical description of the growth of *Lactobacillus sake* and *Lactobacillus pentosus* under conditions prevailing in fermented sausages 334
- Eismann F, Becker F, Kusch P, Stottmeister U: Alternative electron acceptors in microbial coal-conversion wastewater treatment 604
- Fauzi AM, Hardman DJ, Bull AT: Biodehalogenation of low concentrations of 1,3-dichloropropanol by mono- and mixed cultures of bacteria 660
- Fernández-González C, Gil JA, Mateos LM, Schwarzer A, Schäfer A, Kalinowski J, Pühler A, Martin JF: Construction of *L*-lysine-overproducing strains of *Brevibacterium lactofermentum* by targeted disruption of the *hom* and *thrB* genes (Short contribution) 554
- Garman J, Coolbear T, Smart J: The effect of cations on the hydrolysis of lactose and the transferase reactions catalysed by  $\beta$ -galactosidase from six strains of lactic acid bacteria 22
- Gellissen G, Piontek M, Dahlems U, Jenzelewski V, Gavagan JE, DiCosimo R, Anton DL, Janowicz ZA: Recombinant *Hansenula polymorpha* as a biocatalyst: coexpression of the spinach glycolate oxidase (*GO*) and the *S. cerevisiae* catalase T (*CTT1*) gene 46
- Gibbs PA, Seviour RJ: Does the agitation rate and/or oxygen saturation influence exopolysaccharide production by *Aureobasidium pullulans* in batch culture? 503
- Goodrich-Tanrikulu M, Stafford AE, Lin J-T, McKeon TA: Metabolism of ricinoleate by *Neurospora crassa* 382
- Gough S, Flynn O, Hack CJ, Marchant R: Fermentation of molasses using a thermotolerant yeast, *Kluyveromyces marxianus* IMB3: simplex optimisation of media supplements (Short contribution) 187
- Gouka RJ, Hessing JGM, Punt PJ, Stam H, Musters W, Van den Hondel CAMJJ: An expression system based on the promoter region of the *Aspergillus awamori* 1,4- $\beta$ -endoxylanase A gene 28
- Grobben GJ, Smith MR, Sikkema J, Bont JAM de: Influence of fructose and glucose on the production of exopolysaccharides and the activities of enzymes involved in the sugar metabolism and the synthesis of sugar nucleotides in *Lactobacillus delbrueckii* subsp. *bulgaricus* NCFB 2772 279
- Guillouet S, Engasser JM: Growth of *Corynebacterium glutamicum* in ammonium- and potassium-limited continuous cultures under high osmotic pressure 291

- Harmsen MM, Bruyne MI, Raué HA: Overexpression of binding protein and disruption of the *PMRI* gene synergistically stimulate secretion of bovine prochymosin but not plant Thaumatin in yeast 365
- Hatzinikolaou DG, Hansen OC, Macris BJ, Tingey A, Kekos D, Goodenough P, Stougaard P: A new glucose oxidase from *Aspergillus niger*: characterization and regulation studies of enzyme and gene 371
- Hill GA, Milne BJ, Nawrocki PA: Cometary degradation of 4-chlorophenol by *Alcaligenes eutrophus* 163
- Hofrichter M, Fritsche W: Depolymerization of low-rank coal by extracellular fungal enzyme systems. I. Screening for low-rank-coal-depolymerizing activities 220
- Horn U, Strittmatter W, Krebber A, Knüpfer U, Kujau M, Wenderoth R, Müller K, Matzku S, Plückthun A, Riesenberger D: High volumetric yields of functional dimeric miniantibodies in *Escherichia coli*, using an optimized expression vector and high-cell-density fermentation under non-limited growth conditions 524
- Huijberts GNM, Eggink G: Production of poly(3-hydroxyalkanoates) by *Pseudomonas putida* KT2442 in continuous cultures 233
- Jaeger K-E, Liebeton K, Zonta A, Schimossek K, Reetz MT: Biotechnological application of *Pseudomonas aeruginosa* lipase: efficient kinetic resolution of amines and alcohols 99
- Jendrosseck D, Schirmer A, Schlegel HG: Biodegradation of polyhydroxyalkanoic acids 451
- Jenkins RO, Heald SC: Stability of toluene oxidation by *Pseudomonas putida* under nutrient deprivation 388
- Johannes C, Majcherzyk A, Hüttermann A: Degradation of anthracene by laccase of *Trametes versicolor* in the presence of different mediator compounds 313
- Jorge SAC, Hera C, Spina AMM, Moreira RC, Pinho JRR, Menck CFM: Expression of the hepatitis B virus surface antigen in mammalian cells using an Epstein-Barr-virus-derived vector 533
- Kafkewitz D, Fava F, Armenante PM: Effect of vitamins on the aerobic degradation of 2-chlorophenol, 4-chlorophenol, and 4-chlorobiphenyl 414
- Katoh T, Kikuchi N, Nagata K, Yoshida N: A mutant trypsin-like enzyme from *Streptomyces fradiae*, created by site-directed mutagenesis, improves affinity chromatography for protein trypsin inhibitors 15
- Kay-Shoemaker JL, Watwood ME: Limitations of the lignin peroxidase system of the white-rot fungus, *Phanerochaete chrysosporium* 438
- Kitamoto N, Go M, Shibayama T, Kimura T, Kito Y, Ohmiya K, Tsukagoshi N: Molecular cloning, purification and characterization of two endo-1,4- $\beta$ -glucanases from *Aspergillus oryzae* KBN616 538
- Komanapalli IR, Lau BHS: Ozone-induced damage of *Escherichia coli* K-12 610
- Krahn E, Schneider K, Müller A: Comparative characterization of  $H_2$  production by the conventional Mo nitrogenase and the alternative "iron-only" nitrogenase of *Rhodobacter capsulatus hup<sup>-</sup>* mutants 285
- Kriete G, Broer I: Influence of the herbicide phosphinothricin on growth and nodulation capacity of *Rhizobium meliloti* 580
- Krishna C, Chandrasekaran M: Banana waste as substrate for  $\alpha$ -amylase production by *Bacillus subtilis* (CBTK 106) under solid-state fermentation 106
- Kudlich M, Bishop PL, Knackmuss H-J, Stolz A: Simultaneous anaerobic and aerobic degradation of the sulfonated azo dye Mordant Yellow 3 by immobilized cells from a naphthalenesulfonate-degrading mixed culture 597
- Kumar Dutta S, Mukherjee A, Chakraborty P: Effect of product inhibition on lactic acid fermentation: simulation and modelling (Short contribution) 410
- Liu S, Steinbüchel A: Investigation of poly( $\beta$ -L-malic acid) production by strains of *Aureobasidium pullulans* 273
- Macris JB, Stamatis H, Kolis FN: Microemulsions as a tool for the regioselective lipase-catalysed esterification of aliphatic diols (Short contribution) 521
- Mansfield SD, Wong KKY, Jong E de, Saddler JN: Xylanase prebleaching of fractions of Douglas-fir kraft pulp of different fibre length 319
- Mavituna F, Buyukalaca S: Somatic embryogenesis of pepper in bioreactors: a study of bioreactor type and oxygen-uptake rates 327
- Meijer A, Vallinga CE, Ossewaarde JM: A microcarrier culture method for the production of large quantities of viable *Chlamydia pneumoniae* 132
- Mellon JE, Cotty PJ: Purification and partial characterization of an elastolytic proteinase from *Aspergillus flavus* culture filtrates 138
- Mignone CF, Avignone-Rossa C: Analysis of glucose carbon fluxes in continuous cultures of *Bacillus thuringiensis* 78
- Molitoris HP, Moss ST, Koning GJM de, Jendrosseck D: Scanning electron microscopy of polyhydroxyalkanoate degradation by bacteria 570
- Müller RH, Babel W: Growth rate-dependent expression of phenol-assimilation pathways in *Alcaligenes eutrophus* JMP 134 — the influence of formate as an auxiliary energy source on phenol conversion characteristics 156
- Mutzel A, Reinscheid UM, Antranikian G, Müller R: Isolation and characterization of a thermophilic bacillus strain, that degrades phenol and cresols as sole carbon source at 70°C 593
- Natarajan MR, Wu W-M, Nye J, Wang H, Bhatnagar L, Jain MK: Dechlorination of polychlorinated biphenyl congeners by an anaerobic microbial consortium 673
- Nemati M, Webb C: Effect of ferrous iron concentration on the catalytic activity of immobilized cells of *Thiobacillus ferrooxidans* 250
- Øyaas J, Storø I, Levine DW: Uptake of lactose and continuous lactic acid fermentation by entrapped non-growing *Lactobacillus helveticus* in whey permeate 240
- Peleg M: Evaluation of the Fermi equation as a model of dose-response curves (Short contribution) 303
- Pérez-Avalos O, Ponce-Noyola T, Magaña-Plaza I, Torre M de la: Induction of xylanase and  $\beta$ -xylosidase in *Cellulomonas flavigena* growing on different carbon sources 405
- Pines O, Even-Ram S, Elnathan N, Battat E, Aharonov O, Gibson D, Goldberg I: The cytosolic pathway of L-malic acid synthesis in *Saccharomyces cerevisiae*: the role of fumarase 393
- Plenchette C, Declercq S, Diop TA, Strullu DG: Infectivity of monoxenic subcultures of the arbuscular mycorrhizal fungus *Glomus versiforme* associated with Ri-T-DNA-transformed carrot root 545
- Rabenhorst J: Production of methoxyphenol-type natural aroma chemicals by biotransformation of eugenol with a new *Pseudomonas* sp. 470
- Ragout A, Siñeriz F, Kaul R, Guoqiang D, Mattiasson B: Selection of an adhesive phenotype of *Streptococcus salivarius* subsp. *thermophilus* for use in fixed-bed reactors 126
- Ralph JP, Graham LA, Catcheside DEA: Extracellular oxidases and the transformation of solubilised low-rank coal by wood-rot fungi 226
- Ramachandra Rao S, Sarada R, Ravishankar GA: Phycocyanin, a new elicitor for capsaicin and anthocyanin accumulation in plant cell cultures (Short contribution) 619
- Renner G, Haage G, Braunegg G: Production of short-side-chain polyhydroxyalkanoates by various bacteria from the rRNA superfamily III 268
- Ricke SC, Schaefer DM: Growth and fermentation responses of *Selenomonas ruminantium* to limiting and non-limiting concentrations of ammonium chloride 169
- Rixon JE, Clarke JH, Hazlewood GP, Hoyland RW, McCarthy AJ, Gilbert HJ: Do the non-catalytic polysaccharide-binding domains and linker regions enhance the biobleaching properties of modular xylanases? 514

- Sánchez-Torres J, Pérez P, Santamaria RI: A cellulase gene from a new alkalophilic *Bacillus* sp. (strain N186-1). Its cloning, nucleotide sequence and expression in *Escherichia coli* 149
- Sanz JL, Rodríguez N, Amils R: The action of antibiotics on the anaerobic digestion process 587
- Sathiyamoorthy P, Shanmugasundaram S: Preparation of cyanobacterial peptide toxin as a biopesticide against cotton pests (Short contribution) 511
- Sathyamoorthy M, Stemke D, Speedie MK: Native and heterologous protein secretion by *Streptomyces lividans* 347
- Sawers G, Jarsch M: Alternative regulation principles for the production of recombinant proteins in *Escherichia coli* 1
- Semba H, Mukouyama M, Sakano K: A *para*-site-specific hydroxylation of various aromatic compounds by *Mycobacterium* sp. strain 12523 432
- Skory CD, Freer SN, Bothast RJ: Properties of an intracellular  $\beta$ -glucosidase purified from the cellobiose-fermenting yeast *Candida wickerhamii* 353
- Smet E, Van Langenhove H, Verstraete W: Long-term stability of a biofilter treating dimethyl sulphide 191
- Smits JP, Rinzema A, Tramper J, Van Sonsbeek HM, Knol W: Solid-state fermentation of wheat bran by *Trichoderma reesei* QM9414: substrate composition changes, C balance, enzyme production, growth and kinetics 489
- Soberón-Chávez G: Evaluation of the biological containment system based on the *Escherichia coli* *gef* gene in *Pseudomonas aeruginosa* W51D 549
- Soby SD, Daniels MJ: Catabolite-repressor-like protein regulates the expression of a gene under the control of the *Escherichia coli* *lac* promoter in the plant pathogen *Xanthomonas campestris* pv. *campestris* (Short contribution) 559
- Spassov G, Pramatarova V, Wandrey C: Conversion of corticosteroid hormones by immobilized cells of *Flavobacterium dehydrogenans*, *Curvularia lunata* and *Arthrobacter simplex* on ceramic carriers 481
- Sugiyama M, Yuasa K, Bhuiyan MdZA, Iwai Y, Masumi N, Ueda K: IS43/mec-mediated integration of a bleomycin-resistance gene into the chromosome of a methicillin-resistant *Staphylococcus aureus* strain isolated in Japan (Short contribution) 61
- Szajáni B, Buzás Z, Dallmann K, Gimesi I, Krisch J, Tóth M: Continuous production of ethanol using yeast cells immobilized in preformed cellulose beads 122
- Taherzadeh MJ, Lidén G, Gustafsson L, Niklasson C: The effects of pantothenate deficiency and acetate addition on anaerobic batch fermentation of glucose by *Saccharomyces cerevisiae* 176
- Tucker MD, Barton LL, Thomson BM: Kinetic coefficients for simultaneous reduction of sulfate and uranium by *Desulfovibrio desulfuricans* 74
- Tyagi RD, Meunier N, Blais JF: Simultaneous sewage sludge digestion and metal leaching – effect of temperature 422
- Valentin HE, Schönebaum A, Steinbüchel A: Identification of 5-hydroxyhexanoic acid, 4-hydroxyheptanoic acid and 4-hydroxyoctanoic acid as new constituents of bacterial polyhydroxyalkanoic acids 261
- Vázquez-Cruz C, Ochoa-Sánchez JC, Olmedo-Alvarez G: Pulse-field gel-electrophoretic analysis of the amplification and copy-number stability of an integrational plasmid in *Bacillus subtilis* 55
- Vessoni Penna TC, Machoshvili IA, Aquarone E: *Bacillus stearothermophilus* spores on strips. Calibration of thermoresistance kinetics to prior biological validation 340
- Weuster-Botz D, Karutz M, Joks B, Schärtges D, Wandrey C: Integrated development of fermentation and downstream processing for L-isoleucine production with *Corynebacterium glutamicum* 209
- Wiesche C in der, Martens R, Zadrazil F: Two-step degradation of pyrene by white-rot fungi and soil microorganisms 653
- Wübker S-M, Friedrich CG: Reduction of biomass in a bioscrubber for waste gas treatment by limited supply of phosphate and potassium ions 475
- Yang Z, Suzuki H, Sasaki S, Karube I: Disposable sensor for biochemical oxygen demand 10
- Yoshioka K, Oh K-B, Saito M, Nemoto Y, Matsuoka H: Evaluation of 2-[N-(7-nitrobenz-2-oxa-1,3-diazol-4-yl)amino]-2-deoxy-D-glucose, a new fluorescent derivative of glucose, for viability assessment of yeast *Candida albicans* 400
- Zellner G, Macario AJL, Conway de Macario E: Microbial subpopulations in the biofilm attached to the substratum and in the free flocs of a fixed-bed anaerobic bioreactor 443